

CORRECTION

Open Access



Correction: Successful treatment of cardiogenic shock due to Takotsubo syndrome with implantation of a temporary microaxial left ventricular assist device in transaxillary approach

Johanna K. R. von Mackensen^{1*}, Ahmed El Shazly¹, Felix Schoenrath^{1,2}, Joerg Kempfert^{1,2}, Christoph T. Starck^{1,2}, Evgenij V. Potapov^{1,2}, Stephan Jacobs^{1,2}, Volkmar Falk^{1,2,3,4} and Leonhard Wert¹

Correction to: *BMC Surgery* (2023) 18:1

<https://doi.org/10.1186/s13019-023-02459-z>

Following publication of the original article [1], the given and family names of Ahmed El Shazly were incorrectly structured. The name was displayed correctly in all versions at the time of publication.

The original article has been corrected.

Accepted: 22 December 2023

Published online: 08 January 2024

Reference

1. von Mackensen JK, Shazly AE, Schoenrath F, et al. Successful treatment of cardiogenic shock due to Takotsubo syndrome with implantation of a temporary microaxial left ventricular assist device in transaxillary approach. *J Cardiothorac Surg.* 2023;18:343.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1186/s13019-023-02459-z>.

*Correspondence:

Johanna K. R. von Mackensen

Johanna.von-mackensen@charite.de

¹Department of Cardiothoracic and Vascular Surgery, Deutsches Herzzentrum der Charité – Medical Heart Center of Charité and German Heart Institute Berlin, Augustenburger Platz 1, 13353 Berlin, Germany

²DZHK (German Center for Cardiovascular Research) partner site Berlin, Berlin, Germany

³Department of Cardiothoracic Surgery, Charité – Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, Berlin Institute of Health, Berlin, Germany

⁴Department of Health Sciences and Technology, ETH Zürich, Zurich, Switzerland



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.