

ERRATUM

Open Access

Erratum: Ventriculo-atrial defect after bioprosthetic aortic valve replacement

Jayant S. Jainandunsing¹, Remco Bergman¹, Jacob Wilkens², Angela Wang³, Guido Michielon² and Ehsan Natour^{2*}

After publication of the article [1] it was discovered that this manuscript was mistakenly given a duplicated citation number. The correct citation of 9:199 has now been updated in all versions of this manuscript. We apologise for any inconvenience caused by this error.

Author details

¹Department of Anesthesia and Pain Medicine, University of Groningen, University Medical Center, Groningen, The Netherlands. ²Department of Cardiothoracic Surgery, University of Groningen, University Medical Center Groningen, Hanzeplein 1, 9700 RB Groningen, The Netherlands. ³Department of Anesthesia Critical Care and Pain Medicine, Beth Israel Deaconess Medical Center, Harvard Medical School, 330 Brookline Avenue, Boston, Massachusetts 02215, USA.

Received: 30 April 2015 Accepted: 6 May 2015

Published online: 29 May 2015

Reference

1. Jainandunsing JS, Bergman R, Wilkens J. Ventriculo-atrial defect after bioprosthetic aortic valve replacement. *J Cardiothorac S.* 2014;9:137.

* Correspondence: e.natour@umcg.nl

²Department of Cardiothoracic Surgery, University of Groningen, University Medical Center Groningen, Hanzeplein 1, 9700 RB Groningen, The Netherlands

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

